



## Pavement Windvane

The Windvane is an internationally patented wind-driven advertising device. This globally successful product uses wind power to create a rotating motion, exposing both sides thereby creating attention and selling products!

This highly cost effective and reliable advertising device is best used outside shops, on the beach, on pavements and service station forecourts.

### The Windvane offers:

- Increased sales
- High visibility
- Permanent presence
- Strong branding
- Cost effective exposure
- Longevity - lifespan of up to 3 years

### Specifications:

Digital print is laminated to ABS or graphics are printed directly to ABS. All inks are UV-inhibited. Composite styrene core with top and bottom capping strips injection moulded in UV-stabilised ABS plastic. Side strips from formed and powder-coated steel. Water-fillable base moulded from colour-coded, rota-cast polyethylene. Almost indestructible.

### Dimensions:

Unit	Entire Height	Rotating Section
Windvane 1250mm	1250mm	510mm x 1010mm
Windvane 1000mm	1000mm	510mm x 760mm

Minimum order: None. Stock available in blue, red, black, yellow, green or white trim . On orders of 200+ trim and base can be customised to any Pantone colour.

### Benefits of Rotating Signs

- A rotating sign is far more visible than a swing sign due to the movement.
- Rotating signs display twice the amount of information as a swing sign.
- Increased visibility means increased sales.
- Rotating signs break the clutter of common, everyday signs.

## Wall and pole mounted Windvane

The wall/pole mounted windvane is suitable for use on shop frontages. It creates immediate attention with a rotating motion.

### The wall/pole mounted Windvane offers:

- Permanent attachment to an exterior wall or pole
- Wind powered rotating signage system – attracting immediate attention
- Rugged and durable – designed for outdoor usage
- Wind Tunnel tested to over 60km/h
- Longevity - lifespan of up to 3 years

### Specifications:

Digital print is laminated to ABS or graphics are printed directly to ABS. All inks are UV-inhibited. Composite styrene core with top and bottom capping strips injection moulded in UV-stabilised ABS plastic. Side strips from formed and powder-coated steel. Wall bracket manufactured from powder-coated steel.

Supplied with either wall mountable or patented pole mountable bracket to permanently attach to pole or wall.

Spinning sign size: 500mm x 500mm x 80mm

Minimum order: None. Stock available in blue, red, black, yellow, green or white trim with white bracket. On orders of 200+ trim and bracket can be customised to any Pantone colour.

## Premier Pavement Sign

The Premier Pavement Sign is an upmarket visually appealing and highly versatile signage system for the discerning client.

Graphics are easily changed and can be supplied with or changed to a range of options which include:

- Chalk boards
- White Boards
- Static ABS prints
- Slip in paper poster prints

This unique sign has been designed with a sophisticated curved shape with rounded corners and a stable water-fillable base.



### The Premier Pavement Sign offers:

- Indoor or outdoor use - constructed from UV protected materials.
- Sophisticated appealing curved shape
- Water filled base
- Longevity - Lifespan of up to 5 years
- Graphics can be replaced quickly and economically in the field
- Header card facility
- Cost effective exposure
- High visibility
- Compact shipping

### Specifications:

Digital print is laminated to ABS or graphics are printed directly to ABS. All inks are UV-inhibited. Side strips are extruded and powder-coated aluminium. Top capping strip injection moulded in UV-stabilised ABS plastic. Water-fillable base moulded from colour-coded, rota-cast polyethylene. Almost indestructible. Supplied flat-packed with all hardware and assembly tools.

Dimensions once assembled: 620mm x 910mm x 380mm

Print size: 619mm x 798mm

Minimum order: 1x unit. Stock available in blue, red, yellow or black.

On orders of 200+ the trim and base can be customised to any Pantone colour.





## Wing Flag

The Wing Flag is an internationally patented wind-driven advertising device.

Utilising a variety of substrates such as ABS, the Wing Flag allows the user to have a different image on each side as well as making die-cut shapes feasible. Graphics are easily replaceable.

### The Wing Flag offers:

- Cost effective exposure
- Versatility in terms of size and shape
- "Flutters" in the wind to attract attention
- Double sided - allows for different graphics
- Die-cuttable for better impact and visuals
- Graphics easily exchangeable in the field
- Quick assembly
- Robust water-fillable base
- Compact Shipping

### Specifications:

Digital print is laminated to ABS or graphics are printed directly to ABS. All inks are UV-inhibited. The central support is extruded and powder-coated aluminium. Water-fillable base moulded from colour-coded, rota-cast polyethylene. Almost indestructible. Supplied flat-packed with all hardware.

\*Standard dimensions once assembled: 1250mm x 450mm x 470mm

\*Standard print size: 1000mm x 420mm

Minimum order: 35x units

(\*on orders of 100x or more sizes as per clients specification)

## A - Sign

The A-Sign is a simple sandwich board for cost effective outdoor brand exposure.

### The Warpfive A-Sign offers:

- Cost effective exposure
- Good longevity
- Double sided - allows for different graphics
- No assembly - just unfolds
- Compact shipping
- Versatile and variable dimensions

### Specifications:

Digital print is laminated to ABS or graphics are printed directly to ABS. All inks are UV-inhibited. Sign constructed of 3mm ABS plastic with oversized hinge mechanism for added longevity.

\*Standard dimensions: 700mm x 1000mm

Minimum order: 50x units

(\*on orders of 100x or more sizes as per clients specification)



## Swing Sign

The Swing Sign allows for highly cost effective exposure. The units are simple, quick to erect and are compact to ship.

### The Swing Sign offers:

- Cost effective exposure
- "Flutters" in the wind to attract attention
- Double sided - allows for different graphics
- Graphics easily exchangeable in the field
- Extremely easy and quick assembly
- Robust water-fillable base
- Compact shipping

### Specifications:

Digital print is laminated to ABS or graphics are printed directly to ABS. All inks are UV-inhibited. Structure manufactured from powder-coated steel. Water-fillable base moulded from colour-coded, rota-cast polyethylene. Almost indestructible.

Minimum order: None. Trim and base available in stock colours of blue, red, yellow, white or black.

On orders of 200+ the trim and base can be customised to any Pantone colour.



### Rectangular base Swing Sign:

Base: 660mm x 380mm

Height of entire unit: 940mm

Graphics panel: 555mm x 765mm

### Round base Swing Sign:

Base: 470mm diameter x 190mm height

Height of entire unit: 1040mm

Graphics panel: 400mm x 730mm





## Basic Wall Signs

This simple signage system allows for extremely cost effective branding outside stores. There are two versions - straight and apex.

### The basic wall-mounted sign offers:

- Cost effective exposure
- Easy application with double-sided tape
- Double sided - allows for two different images

### Wall sign - straight version specifications

Manufactured from aluminium and silk-screened using UV-inhibited inks. The sign is mounted to a clean surface with a single attachment tab making use of high strength double-sided foam tapes.

Size: 250mm x 350mm

Minimum order: 100+ units



### Wall Sign - apex version specifications

Manufactured from 1.5mm ABS and silk-screened using UV-inhibited inks. This sign is mounted to a clean surface with supplied high strength double sided tape using a dual tab system.

Size: 250mm x 350mm x 90mm

Minimum order: 100+ units



## Advanced Wall Sign

The advanced Wall Sign is a sophisticated permanent signage system.

### The advanced Wall Sign offers:

- Permanent long lasting wall mountable signage.
- Double-sided removable graphics - allows for two different images.
- Permanently mounts to wall or surface with bolts or high strength double sided tape.

### Specifications:

Graphics are silk screened on 1.5mm ABS using UV-inhibited inks. These graphics can be easily replaced in the field. The frame is manufactured from powder-coated steel.

Size: 315mm x 395mm x 120mm

Minimum order: 100+ units



## The Wing Flag - Wind-powered, Permanent, Outdoor Signage Systems

The Warpfive Wing Flag has been developed as a permanent replacement for traditional fabric flags and banners.

This robust exterior signage system is the perfect answer for store branding or promotional campaigns. It is highly visible, attractive and has many advantages over traditional flags.

### The Wing Flag offers:

- Exceptional exposure
- Highly visible large format sign standing over 4 metres above ground
- 2 metre rotating section
- Double-sided - allowing for two different images or messages
- Always rigid (never collapses)
- Durable, UV-resistant and does not tear, fade or become dirty like traditional flags

### Specifications:

Digital print is laminated to ABS or graphics are printed directly to ABS. All inks are UV-inhibited. Composite styrene core with top and bottom capping strips injection moulded in UV-stabilised ABS plastic. Side strips from extruded and powder-coated aluminium. The pole is manufactured from steel which is galvanised and powder-coated.

Rotating section: 2000mm x 500mm

Pole: 4.95m high

Minimum order: None.

Available in stock colours of red, white, yellow, blue or black. On orders of 100+ trim and pole can be customised to any Pantone colour.



Patent Protected.  
 Patent No 95/8955  
 RSA Regd Desn. No. F98/0303  
 USA Patent Desn. No. 417.241





## 1000mm Wall-Mounted Spinning Sign

The wall mounted windvane is suitable for use on shop frontages with limited space. The sign creates immediate attention with a rotating motion.

### The wall/pole mounted Windvane offers:

- Permanent attachment to an exterior wall
- Wind powered rotating signage system – attracting immediate attention
- Rugged and durable – designed for outdoor usage
- Wind Tunnel tested to over 60km/h
- Longevity - lifespan of up to 3 years
- Smooth rotation utilising multiple bearings

### Specifications:

Digital print is laminated to ABS or graphics are printed directly to ABS. All inks are UV-inhibited. Composite styrene core with top and bottom capping strips injection moulded in UV-stabilised ABS plastic. Side strips from formed and powder-coated steel. Wall bracket manufactured from powder-coated steel.

Spinning sign size: 1000mm x 500mm x 80mm

Minimum order: None

Available in stock colours of red, white, yellow, blue or black. On orders of 100+ trim and bracketry can be customised to any Pantone colour.



## 2000mm Wall-Mounted Spinning Sign

The large format wall mounted windvane is suitable for use on shop frontages and larger buildings. It creates immediate attention with a rotating motion.

### The wall/pole mounted Windvane offers:

- Permanent attachment to an exterior wall
- Wind powered rotating signage system – attracting immediate attention
- Rugged and durable – designed for outdoor usage
- Wind Tunnel tested to over 60km/h
- Longevity - lifespan of up to 3 years
- Smooth rotation utilising multiple bearings

### Specifications:

Digital print is laminated to aluminium or graphics are printed directly to aluminium. All inks are UV-inhibited. Composite styrene core with top and bottom capping strips injection moulded in UV-stabilised ABS plastic. Side strips from extruded powder-coated aluminium. Wall bracket manufactured from powder-coated steel.

Spinning sign size: 2000mm x 500mm x 80mm


Minimum order: None

Available in stock colours of red, white, yellow, blue or black. On orders of 100+ trim and bracketry can be customised to any Pantone colour.

### Pop-up Displays



- Precision engineered for years of trouble free use.
- Manufactured from quality structural grade aluminium and glass filled nylon.
- Graphics are printed in high-resolution onto poly-twill fabric.
- Set-up is less than 3 minutes.
- Folds away to compact size for transportation and storage – fabric remains on frame
- Curved and straight units available
- Graphics wrap around unit to hide frame
- Internal and temporary external use – promotions, golf days, prize giving's, backdrops, etc.
- Available in more than 24 sizes.



#### Specifications:

##### Common Sizes

3 x 3 Pop-up : 2270 x 2270 x 300mm

3 x 4 Pop-up : 3012 x 2270 x 300mm

3 x 5 Pop-up : 3802 x 2270 x 300mm

3 x 6 Pop-up : 4520 x 2270 x 300mm

Print material: polytwill / polyknit

Minimum order: none.

### Screen



- Constructed from high quality custom aluminium extrusions.
- Graphics are printed onto quality poly twill fabric.
- Graphics automatically roll up into protective canister for transport / storage.
- Oversized canister spring for longevity.
- Set-up is under 60 seconds.
- Supplied complete with carry bag.
- Can be used side by side to produce a "banner wall".

#### Specifications:

Viewable Image Size: 850mm x 2120mm

Print material: polytwill / polyknit

Cannister: Powder-coated / anodised aluminium

Minimum order: 50x units

### Banner III



- Constructed from high quality custom aluminium extrusions.
- Graphics are printed onto quality poly twill fabric.
- Solid construction – sturdy on the floor.
- Easy portability – fold away and go.
- Quick setup time.
- Supplied complete with carry bag.
- Can be used side by side to produce a "banner wall".

#### Specifications:

Print material: polytwill / polyknit

Cannister: Powder-coated / anodised aluminium

Banner II 850 - Viewable Image Size: 850mm x 2120mm

Banner II 750 - Viewable Image Size: 750mm x 2180mm

Minimum order: 50x units





## Flag Bunting

Promotional bunting has the advantage of covering a large area of retail space for very little cost. It is eye catching and provides good exposure while pin-pointing the location of your brand within retail spaces.

### Bunting offers:

- Cost effective
- Double-sided
- Die-cuttable
- Available in various lengths

## Promo Flags



Promo flags are eye-catching and cost effective promotional systems which are easy to erect and install.

### Promo Flags offer:

- Easy to install - uses double-sided tape
- Manufactured in the colour of your choice
- Double sided
- Compact to ship
- Cost effective

### Specifications:

Graphics are printed on PVC using UV-inhibited inks. The pole is UV-stabilised ABS plastic. Mounted to a clean surface with a single attachment tab making use of high strength double-sided foam tapes.

Flag pole: 450mm  
Flag: 400mm x 550mm

Minimum order: 100x units